Web Images Videos Maps News Shopping Gmail more •

Web History | Search settings | Sign in



authentication message between service providers

Search

Web Show options...

Results 1 - 10 of about 4,410,000 for authent

Security Assertion Markup Language - Wikipedia, the free encyclopedia Authentication statements assert to the service provider that the principal did ... A SAML binding is a mapping of a SAML protocol message onto standard direct communications between the service provider and the identity provider. ... en.wikipedia.org/wiki/Security_Assertion_Markup_Language - Cached - Similar

Java Authentication Service Provider Interface for Containers (Sun ... JSR 196 is a draft of the Java Authentication Service Provider Interface for ... provider interface (SPI) with which a message level authentication agent can be ... interaction between a web service client and web service provider where ... docs.sun.com/app/docs/doc/819-6717/6n8nb0tb2?a=view - Cached - Similar

Chapter 7: Message and Transport Security

Understand the differences **between message** security and transport security in WCF. ... and security **service provider**, such as NTLM or Kerberos. When using Windows **authentication**, **message** security uses the service's Windows token to ... msdn.microsoft.com/en-us/library/cc949026.aspx - <u>Qached</u> - <u>Similar</u>

Web **Services** Architecture

A word on terminology: Many documents use the term **service provider** to refer to the Services are mediated by means of the **messages** exchanged **between** requester agents and Several methods can be used to **authenticate** services. ... www.w3.org/TR/ws-arch/ - Cached - Similar

SAP Library - User Authentication and Single Sign-On

SAML also provides for SAML artifacts to hide **authentication messages** passed **between** the identity provider and the **service provider** from any eavesdroppers ... help.sap.com/saphelp_nwes72/helpdata/EN/46/.../frameset.htm - Cached

Third-party e-mail authentication service provider using checksum ... by DW Ng - 2003 - Cited by 2 - Related articles

The **authentication service provider** of claim 5 wherein the **message** merger The digital signature is appended to the **message between** the lines "—BEGIN ... www.freepatentsonline.com/6640301.html - Similar

Authentication/Authorization SPI Guide

Feb 23, 2005 ... The **authentication** sequence **between** the user/appliance/Identity ... The Identity **Provider** runs a SOAP **message service**, which accepts queries ... code.google.com/apis/searchappliance/.../authn_authz_spi.html - Qached - Similar

Message and Transport Security in WCF - CodePlex - Open Source ...

Jun 11, 2008 ... If there are intermediary systems between client and the service, each intermediate point ... and security service provider, such as NTLM or Kerberos. When using Windows authentication, message security uses the ... wcfsecurityguide.codeplex.com/wikipage?...%20Message%20and%20Transport% 20Security%20in%20WCF - Cached

Java EE 6 APIs - The Java EE 6 Tutorial, Volume I

Java **Authentication Service Provider** Interface for Containers (JASPIC) The Java **Message** Service (JMS) API is a **messaging** standard that allows Java EE application ...

The Java ACC specification defines a contract **between** a Java EE ... java.sun.com/javaee/6/docs/tutorial/doc/bnacj.html - Cached - Similar

Security

Jun 23, 2009 ... User registries and **service provider** databases have to be protected, as well as the ... WS-Security adds support for **authentication**, integrity, ... **Message** protection policies specify the interaction **between** service ... publib.boulder.ibm.com/infocenter/...ibm.../cwesb_security.html - <u>Gached</u>

1 2 3 4 5 6 7 8 9 10 Next

authentication message between service providers

Search within results - Language Tools - Search Help - Dissatisfied? Help us im

Google Home - Advertising Programs - Business Solutions - Priva